

## OH-45F11

OPERATING INSTRUCTIONS OIL RADIATOR  
UPUTSTVO ZA UPOTREBU ULJANI RADIJATOR



GBR

**OH-45F11**


OPERATING INSTRUCTIONS OIL RADIATOR

**Usage:**

1. There are two indicator light switches; you can adjust them on your requirement.
2. Please make sure that the rated voltage is suitable and the rated electric current is not lower than 10A.
3. When using, turn the temperature switch deasil to the max position and the room temperature will rise higher and higher.
4. If the room temperature is too high during use and you want to lower it, adjust the switch to “middle” or “low” position.
5. During use, the radiator will keep the required temperature, when the room temperature gets to the require temperature, the radiator will stop automatically. When the room temperature is lower than the required, the radiator will start working automatically.
6. Turn off the two power switches at the same time, the indicator light will be off.

**Technical parameters:**

Model	Rated voltage	Rated frequency	Rated power	Fan power	Specification	Protection against electricity category
C45-7 F	230V	50Hz	1500W	300W	7pieces	I
C45-9F	230V	50Hz	2000W	300W	9pieces	I
C45-11 F	230V	50Hz	2500W	300W	11pieces	I

**Electric Drawing**

# Oil Radiator Instruction Manual

- Please read this manual carefully before using your oil radiator, so that you can use it correctly.
- Please keep this manual handy for future reference.

**Brief Introduction of the Product**

The Oil Radiators adopt the electron thermal-tube as heating element to heat the oil sealed in. This series of product has the features as high quality and long using life. It is suitable for family and office.

**Feature:**

1. High quality and long using life.
2. High efficiency heating oil sealed in, quick heating, without any peculiar smell, without noise.
3. There are two switches and change into three different power.
4. There is temperature fuse to prevent overheating.
5. Convenient for use and easy to collect.
6. Truckled design, easy to move.

**Notes:**

- 1.The radiator should be placed on flat ground. You must not place it precipitately or tipsily.
2. Please do not use the radiator in the place full of combustible or explosive gas, bathroom or a shower or a swimming pool.
3. For your safety, do not put your hand or stick into the hole or slot of the radiator. (Especially for children).
4. When in use, the distance between the radiator and the wall and any other objects should be above 20cm. Within 1m above its top there should not be

**Warning: The radiator must not be located immediately below a socket-outlet.**


any other thing for the gas convection.

5. Please do not use the same electrical outlet with any other appliance.
6. In order to avoid overheating, do not cover the heater.
7. If you want to clean the radiator, please unplug it first.
8. This radiator is filled with a precise quantity of special oil. Repairs requiring opening of the oil container are only to be made by the manufacturer or a service agent who should be contacted if there is an oil leakage.
9. Regulations concerning the disposal of oil when scrapping the appliance have to be followed.
10. If the supply cord is damaged, it must be replaced by the manufacturer or its service agent or a similarly qualified person in order to avoid hazard.
11. If nobody is in, please unplug the appliance.
12. While the radiator is in use, please do not open the door or window continually otherwise it will influence the heating effect.
13. The appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have previously been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children must not play with the appliance. Cleaning and user maintenance shall not be done by children without supervision.
14. Children of less than 3 years should be kept away unless continuously supervised.

**CAUTION — Some parts of this product can become very hot and cause burns. Particular attention has to be paid when children and vulnerable people are present.**

**WARNING:** This heater is not equipped with a device to control the room temperature. Do not use this heater in small rooms when they are occupied by persons not capable of leaving the room on their own, unless constant supervision is provided.


## Components:



## Assembly instructions:

The heater is packaged with the feet unattached. You must attach them before operating the heater.

**WARNING:** Do not operate without feet attached. Do operate the heater only in upright position (feet on the bottom, controls on the top); any other position could create a hazardous situation.



- Place the radiator body upside-down on a scratch-free location, make sure it is stable and cannot fall.
- Do not store the appliance while it is still hot.
- To attach the castor mounting plate to the radiator body, you should insert the threaded ends of the U bolt in the holes on the castor mounting plate.
- Screw the wing nuts back to the U bolt and fasten the wing nut properly.



SRB

**OH-45F11**

**UPUTSTVO ZA UPOTREBU ULJANI RADIJATOR**


## **Upotreba:**

- Uredaj ima dva dugmeta sa svetlom za podešavanje snage, koje možete podesiti po potrebi.
- Molimo proverite da je nazivni napon odgovarajući i da je nazivni kapacitet na utičnici najmanje 10 A.
- Tokom upotrebe možete lako podesiti termostat na temperaturu koju želite.
- Ako tokom upotrebe osetite, da je temperatura u prostoriji previsoka i želite da je smanjite, podesite termostat na 'nisko' ili 'srednje' podešavanje.
- Radijator će održavati podešenu temperaturu, tj. kada postigne zadatu temperaturu ugasiće se. Kada temperatura padne ispod zadate, radijator će se automatski opet uključiti.
- Ako okrenete dugme termostata na isključeno, indikator tj. svetlo će se ugasiti.

## **Tehnički podaci:**

Model	Nazivni napon	Nazivna frekvencija	Nazivna snaga	Snaga ventilatora	Specifikacija	Kategorija električne zaštite
C45-7 F	230 V	50 Hz	1500 W	300 W	7 kom.	I
C45-9F	230 V	50 Hz	2000 W	300 W	9 kom.	I
C45-11 F	230 V	50 Hz	2500 W	300 W	11 kom.	I

## **Električna shema:**



## **Uputstvo za upotrebu uljanog radijatora**

- Molimo Vas da pre upotrebe uljanog radijatora pažljivo pročitate ovo uputstvo, kako biste ga mogli ispravno koristiti.
- Molimo da sačuvate ovo uputstvo.

## **Kratko predstavljanje uređaja:**

Uljani električni radijatori upotrebljavaju elektronsku termalnu cev kao grejni element i sa njim zagrevaju u njima zatvoreno ulje. Ova serija uređaja je visokog kvaliteta i ima dug životni vek. Pogodni su za upotrebu u domaćinstvu i poslovnim prostorijama.

## **Karakteristike:**

- Visok kvalitet i dug životni vek.
- Grejno ulje visoke efikasnosti, brzo greje, bez mirisa i bez buke.
- Sa jednim dugmetom možete podesiti tri različite nivoje snage.
- Uredaj ima termički osigurač, koji sprečava pregrevanje.
- Lako se upotrebljava i lako se rukuje sa njim.
- Dizajn sa točkićima, lako se pomera.

## **Napomene:**

- Radijator mora biti postavljen na ravnu podlogu. Ne smete ga postavljati na nestabilno mesto.
- Molimo ne koristite radijator na mestu gde ima zapaljivog ili eksplozivnog gasa, u kupatilu ili u blizini tuš kabine ili bazena.
- Molimo ne stavlajte ruke ili štapove u otvore ili prorene radijatora, zbog Vaše bezbednost. (Posebno obratite pažnju ako su deca u blizini)
- Tokom upotrebe mora između radijatora i zida ili bilo kog drugog predmeta najmanje 20 cm. Iznad radijatora mora biti 1 m praznog prostora, zbog kruženja vazduha.


**Upozorenje: Radijator se ne sme postavljati neposredno kod električne utičnice.**

5. Nemojte uključivati druge uređaje na istu utičnicu.
6. Ne pokrivajte radijator, da ne bi došlo do pregrejavanja.
7. Ako želite radijator da očistite, najpre izvadite utikač iz utičnice.
8. Ovaj radijator je napunjen sa tačno određenom količinom namenskog ulja. Popravke koje zahtevaju otvaranje posude za ulje mora obaviti proizvođač ili ovlašćeni serviser, kome se valja obratiti u slučaju puštanja ulja.
9. Potrebno je poštovati propise u vezi uklanjanja ulja kada se uređaj uništava.
10. Ako je strujni kabl oštećen, mora ga zameniti proizvođač ili ovlašćeni servis, ili stručno osposobljena osoba, da bi se izbegla opasnost.
11. Kada uređaj ostavljate bez nadgledanja, Vas molimo da isključite utikač iz utičnice.
12. Tokom upotrebe izbegavajte da često otvarate vrata i prozore, jer bi time uticali na efikasnost zagrevanja.
13. Ovaj uređaj mogu upotrebljavati deca od 8 godina i više i osobe sa smanjenim fizičkim, čulnim, ili umskim sposobnostima ili nedostatkom iskustva i znanja, ali samo u slučaju da ih nadzire i daje im uputstva osoba koja je odgovorna za njihovu bezbednost, i da razumeju opasnosti povezane sa upotrebom uređaja. Deca se ne smeju igrati sa uređajem. Deca ne smeju da čiste odnosno održavaju uređaj bez nadgledanja.
14. Decu mlađu od 3 godine treba držati dalje od uređaja osim ukoliko su pod stalnim nadzorom.

**OPREZ — Neki delovi uređaja mogu se jako zagrijati i prouzrokovati opekotine. Posebno morate biti pažljivi ako su prisutna deca ili ranjive osobe.**

**UPOZORENJE:** Ovaj radijator nema uređaj za regulisanje temperature u sobi. Ne upotrebljavajte ovaj radijator za grejanje malih soba u kojima se nalaze osobe, koje nisu u stanju samostalno da napuste prostoriju, osim ukoliko su pod stalnim nadzorom.


## Nazivi delova:



## UPUTSTVA ZA SASTAVLJANJE

Radijator je zapakovan bez nameštenih nogara. Potrebno ih je namestiti pre upotrebe.

Upozorenje: Ne upotrebljavajte radijator bez nameštenih nogara. Upotrebljavajte ga samo u uspravnom položaju (nogari na dnu, dugmad na vrhu), bilo koji drugi položaj predstavlja potencijalnu opasnost.



- Postavite telo radijatora naglavačke na podlogu od npr. kartona, proverite da je stabilna i da radijator neće pasti.
- Ne skladištite radijator dok se ne ohladi.
- Za montiranje točkića namestite fiksirnu ploču na telo radijatora, ubacite krajeve sa navojima spone u obliku slova U u otvore na fiksirnoj ploči za točkiće.
- Navijte navrtnje sa krilcima nazad na sponu u obliku slova U i dobro ih zategnite.

[www.voxelectronics.com](http://www.voxelectronics.com)